


Drg No. QDF16U

REMOVE ALL BURRS AND SHARP EDGES.

THIRD ANGLE PROJECTION.

		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.433	138
No. OF BOLTS		10	10
THREAD / THRO' HOLE		M10x1.0	M10x1.0
CROWN WHEEL SPIGOT DIA	D2	4.6063	117.0
BEARING DIA	D3	1.575	40.0
BEARING DISTANCE	L1	3.577	90.8
SPIGOT LENGTH	L2	0.885	22.5
	L2/A	0.885	22.5
OVERALL LENGTH	L3	5.347	135.8
BEARING/CROWN WHEEL	L4	0.748	19.0
BORE	D4	1.0241	26.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		25	
PITCH		1 MOD.	
TYPE			
PRESSURE ANGLE		37.5 DEG	



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDF16U

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY
CONFIDENTIAL & THE COPYRIGHT THEREIN
THE EXCLUSIVE PROPERTY OF
R.T. QUAIFE ENGINEERING LTD.
AND MAY NOT BE USED COPIED OR EXHIBITED
WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. $\pm 1/64"$.	
DEC. $\pm 0.005"$.	
MATERIAL.	
TREATMENT.	
ISSUE. 01	DATE. 21.1.09
DRAWN BY. J.P.	
Used In.	HONDA JAZZ (M.Y. 2009)