


Drg No. QDF48Z

REMOVE ALL BURRS AND SHARP EDGES.

THIRD ANGLE PROJECTION.

		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.750	146.1
No. OF BOLTS		8	8
THREAD / THRO' HOLE		0.492	12.5
CROWN WHEEL SPIGOT DIA	D2	4.626	117.5
BEARING DIA	D3	1.627	41.3
BEARING DISTANCE	L1	5.945	151.0
SPIGOT LENGTH	L2	0.830	21.1
	L2/A	0.835	21.2
OVERALL LENGTH	L3	7.610	193.3
BEARING/CROWN WHEEL	L4	1.120	28.4
BORE	D4	1.181	30.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		26	
PITCH		24/48 D.P.	
TYPE		FILLET ROOT SIDE FIT	
PRESSURE ANGLE		45°	



TITLE R.W.D. DIFF DATA SHEET.

SCALE 1:1 U.O.S. SHEET 1 OF 1

**Drg. No.** QDF48Z

**Quaife Design & Development.**

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY  
CONFIDENTIAL & THE COPYRIGHT THEREIN  
THE EXCLUSIVE PROPERTY OF  
R.T. QUAIFFE ENGINEERING LTD.  
AND MAY NOT BE USED COPIED OR EXHIBITED  
WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH, GRIND@G  
LIMITS. FRACT.  $\pm 1/64"$ .  
DEC.  $\pm 0.005"$ .  
MATERIAL.  
TREATMENT.  
ISSUE. 01 DATE. 18.5.07  
DRAWN BY. J.P.D.  
**Used In.** FORD GRANADA DIFF.