

Drg No. QDH3M

REMOVE ALL BURRS AND SHARP EDGES.


THIRD ANGLE PROJECTION.

CROWN WHEEL BOLT PCD  
No. OF BOLTS  
THREAD / THRO' HOLE  
CROWN WHEEL SPIGOT DIA  
BEARING DIA  
BEARING DISTANCE  
SPIGOT LENGTH  
  
OVERALL LENGTH  
BEARING/CROWN WHEEL  
BORE

		INCH	MM
D1		5.1878	131.77
		8	8
		0.44	11.176
D2		4.5016	114.3406
D3		1.7849	45.3365
L1		5.2499	133.3475
L2		0.8365	21.2471
L2/A		0.8316	21.1226
L3		6.918	175.7172
L4		1.6355	41.5417
D4		1.2878	32.7101

DRIVE SHAFT SPLINE:-  
No. OF TEETH  
PITCH  
TYPE  
PRESSURE ANGLE

BROACH NR 89	
28	
24/48	
FILLET ROOT	SIDE FIT
45°	



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDH3M

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY  
CONFIDENTIAL & THE COPYRIGHT THEREIN  
IS THE EXCLUSIVE PROPERTY OF  
R.T. QUARRE ENGINEERING LTD.  
AND MAY NOT BE USED COPIED OR EXHIBITED  
WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64".	
DEC. ± 0.005".	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 11.10.06	
DRAWN BY. H.R.	

Used In. MORGAN V8 AERO

SOLID WORKS